



Schließhaken, gerade Form

Artikel-Nr.	Abmessungen			Lochung		Ausführung	Form
	Breite b [mm]	Länge L [mm]	Höhe h [mm]	Ø d [mm]	Anzahl		
091 328 00	13	28	8,5	3,2	2	gelocht	I
091 328 20	13	28	8,5			ungelocht	I
091 345 00	13	45	10,5	3,5	2	gelocht	II
091 345 20	13	45	10,5			ungelocht	II
091 521 00	15	21	10,0	3,5	2	gelocht	III
091 521 20	15	21	10,0			ungelocht	III
091 545 00	15	45	10,0	4,0	2	gelocht	IV
091 545 20	15	45	10,0			ungelocht	IV
091 823 00	18	23	12,0	4,0	2	gelocht	V
091 823 20	18	23	12,0			ungelocht	V
091 845 00	18	45	12,0	4,5	2	gelocht	IV
091 845 20	18	45	12,0			ungelocht	IV
092 838 00	28	38	13,0	4,5	3	gelocht	VI
092 838 20	28	38	13,0			ungelocht	VI
092 877 00	28	77	14,0	5,5	3	gelocht	VII
092 877 20	28	77	14,0			ungelocht	VII


Stahl, rohblank

Stahl, verzinkt

091 328 01	13	28	8,5	3,2	2	gelocht	I
091 328 21	13	28	8,5			ungelocht	I
091 345 01	13	45	10,5	3,5	2	gelocht	II
091 345 21	13	45	10,5			ungelocht	II
091 521 01	15	21	10,0	3,5	2	gelocht	III
091 521 21	15	21	10,0			ungelocht	III
091 545 01	15	45	10,0	4,0	2	gelocht	IV
091 545 21	15	45	10,0			ungelocht	IV
091 823 01	18	23	12,0	4,0	2	gelocht	V
091 823 21	18	23	12,0			ungelocht	V
091 845 01	18	45	12,0	4,5	2	gelocht	IV
091 845 21	18	45	12,0			ungelocht	IV
092 838 01	28	38	13,0	4,5	3	gelocht	VI
092 838 21	28	38	13,0			ungelocht	VI
092 877 01	28	77	14,0	5,5	3	gelocht	VII
092 877 21	28	77	14,0			ungelocht	VII




Schließhaken, gerade Form

Artikel-Nr.	Abmessungen			Lochung		Ausführung	Form
	Breite b [mm]	Länge L [mm]	Höhe h [mm]	Ø d [mm]	Anzahl		
091 328 03	13	28	8,5	3,2	2	gelocht	I
091 328 23	13	28	8,5			ungelocht	I
091 521 03	15	21	10,0	3,5	2	gelocht	III
091 521 23	15	21	10,0			ungelocht	III
091 545 03	15	45	10,0	4,0	2	gelocht	IV
091 545 23	15	45	10,0			ungelocht	IV
091 823 03	18	23	12,0	4,0	2	gelocht	V
091 823 23	18	23	12,0			ungelocht	V
091 845 03	18	45	12,0	4,5	2	gelocht	IV
091 845 23	18	45	12,0			ungelocht	IV
092 838 03	28	38	13,0	4,5	3	gelocht	VI
092 838 23	28	38	13,0			ungelocht	VI
092 877 03	28	77	14,0	5,5	3	gelocht	VII
092 877 23	28	77	14,0			ungelocht	VII

Edelstahl, 1.4301

Schließhaken, gerade Form

Artikel-Nr.	Abmessungen					
	Breite b [mm]	Breite b1 [mm]	Länge L [mm]	Länge L1 [mm]	Höhe h [mm]	
092 614 20	14	26	15	7	5,6	ungelocht


Eisen, rohblank


Für weitere Informationen nehmen Sie bitte Kontakt mit uns auf.


Tel +49 (0) 2333 / 96 82-50 - Fax +49 (0) 2333 / 96 82-90 - info@winkelstraeter.de

Schließhaken, gekröpfte Form

Artikel-Nr.	Abmessungen			Lochung		Ausführung	Form
	Breite b [mm]	Länge L [mm]	Höhe h [mm]	Ø d [mm]	Anzahl		
091 330 10	13	30	5,0	3,7	2	gelocht	I
091 330 30	13	30	5,0			ungelocht	I
091 550 10	15	50	7,5	4,1	2	gelocht	I
091 550 30	15	50	7,5			ungelocht	I
091 850 10	18	50	8,0	4,5	2	gelocht	II
091 850 30	18	50	8,0			ungelocht	II
091 885 10	28	85	9,0	5,5	3	gelocht	III
091 885 30	28	85	9,0			ungelocht	III

Stahl, rohblank


091 330 11	13	30	5,0	3,7	2	gelocht	I
091 330 31	13	30	5,0			ungelocht	I
091 550 11	15	50	7,5	4,1	2	gelocht	I
091 550 31	15	50	7,5			ungelocht	I
091 850 11	18	50	8,0	4,5	2	gelocht	II
091 850 31	18	50	8,0			ungelocht	II
091 885 11	28	85	9,0	5,5	3	gelocht	III
091 885 31	28	85	9,0			ungelocht	III

Stahl, verzinkt


091 330 13	13	30	5,0	3,7	2	gelocht	I
091 330 33	13	30	5,0			ungelocht	I
091 550 13	15	50	7,5	4,1	2	gelocht	I
091 550 33	15	50	7,5			ungelocht	I
091 850 13	18	50	8,0	4,5	2	gelocht	II
091 850 33	18	50	8,0			ungelocht	II
091 885 13	28	85	9,0	5,5	3	gelocht	III
091 885 33	28	85	9,0			ungelocht	III

Edelstahl, 1.4301
