



Schließhaken, gerade Form

Artikel-Nr.	Abmessungen			Lochung		Ausführung	Form
	Breite b [mm]	Länge L [mm]	Höhe h [mm]	Ø d [mm]	Anzahl		
09132800	13	28	8,5	3,2	2	gelocht	I
09132820	13	28	8,5			ungelocht	I
09134500	13	45	10,5	3,5	2	gelocht	II
09134520	13	45	10,5			ungelocht	II
09152100	15	21	10,0	3,5	2	gelocht	III
09152120	15	21	10,0			ungelocht	III
09154500	15	45	10,0	4,0	2	gelocht	IV
09154520	15	45	10,0			ungelocht	IV
09182300	18	23	12,0	4,0	2	gelocht	V
09182320	18	23	12,0			ungelocht	V
09184500	18	45	12,0	4,5	2	gelocht	IV
09184520	18	45	12,0			ungelocht	IV
09283800	28	38	13,0	4,5	3	gelocht	VI
09283820	28	38	13,0			ungelocht	VI
09287700	28	77	14,0	5,5	3	gelocht	VII
09287720	28	77	14,0			ungelocht	VII


Stahl, rohblank

Stahl, verzinkt

09132801	13	28	8,5	3,2	2	gelocht	I
09132821	13	28	8,5			ungelocht	I
09134501	13	45	10,5	3,5	2	gelocht	II
09134521	13	45	10,5			ungelocht	II
09152101	15	21	10,0	3,5	2	gelocht	III
09152121	15	21	10,0			ungelocht	III
09154501	15	45	10,0	4,0	2	gelocht	IV
09154521	15	45	10,0			ungelocht	IV
09182301	18	23	12,0	4,0	2	gelocht	V
09182321	18	23	12,0			ungelocht	V
09184501	18	45	12,0	4,5	2	gelocht	IV
09184521	18	45	12,0			ungelocht	IV
09283801	28	38	13,0	4,5	3	gelocht	VI
09283821	28	38	13,0			ungelocht	VI
09287701	28	77	14,0	5,5	3	gelocht	VII
09287721	28	77	14,0			ungelocht	VII




Schließhaken, gerade Form

Artikel-Nr.	Abmessungen			Lochung		Ausführung	Form
	Breite b [mm]	Länge L [mm]	Höhe h [mm]	Ø d [mm]	Anzahl		
09132803	13	28	8,5	3,2	2	gelocht	I
09132823	13	28	8,5			ungelocht	I
09152103	15	21	10,0	3,5	2	gelocht	III
09152123	15	21	10,0			ungelocht	III
09154503	15	45	10,0	4,0	2	gelocht	IV
09154523	15	45	10,0			ungelocht	IV
09182303	18	23	12,0	4,0	2	gelocht	V
09182323	18	23	12,0			ungelocht	V
09184503	18	45	12,0	4,5	2	gelocht	IV
09184523	18	45	12,0			ungelocht	IV
09283803	28	38	13,0	4,5	3	gelocht	VI
09283823	28	38	13,0			ungelocht	VI
09287703	28	77	14,0	5,5	3	gelocht	VII
09287723	28	77	14,0			ungelocht	VII

Edelstahl, 1.4301

Schließhaken, gerade Form

Artikel-Nr.	Abmessungen					
	Breite b [mm]	Breite b1 [mm]	Länge L [mm]	Länge L1 [mm]	Höhe h [mm]	
09261420	14	26	15	7	5,6	ungelocht


Eisen, rohblank


Für weitere Informationen nehmen Sie bitte Kontakt mit uns auf.


Tel +49 (0) 2333 / 96 82-50 - Fax +49 (0) 2333 / 96 82-90 - info@winkelstraeter.de

Schließhaken, gekröpfte Form

Artikel-Nr.	Abmessungen			Lochung		Ausführung	Form
	Breite b [mm]	Länge L [mm]	Höhe h [mm]	Ø d [mm]	Anzahl		
09133010	13	30	5,0	3,7	2	gelocht	I
09133030	13	30	5,0			ungelocht	I
09155010	15	50	7,5	4,1	2	gelocht	I
09155030	15	50	7,5			ungelocht	I
09185010	18	50	8,0	4,5	2	gelocht	II
09185030	18	50	8,0			ungelocht	II
09188510	28	85	9,0	5,5	3	gelocht	III
09188530	28	85	9,0			ungelocht	III

Stahl, rohblank


09133011	13	30	5,0	3,7	2	gelocht	I
09133031	13	30	5,0			ungelocht	I
09155011	15	50	7,5	4,1	2	gelocht	I
09155031	15	50	7,5			ungelocht	I
09185011	18	50	8,0	4,5	2	gelocht	II
09185031	18	50	8,0			ungelocht	II
09188511	28	85	9,0	5,5	3	gelocht	III
09188531	28	85	9,0			ungelocht	III

Stahl, verzinkt


09133013	13	30	5,0	3,7	2	gelocht	I
09133033	13	30	5,0			ungelocht	I
09155013	15	50	7,5	4,1	2	gelocht	I
09155033	15	50	7,5			ungelocht	I
09185013	18	50	8,0	4,5	2	gelocht	II
09185033	18	50	8,0			ungelocht	II
09188513	28	85	9,0	5,5	3	gelocht	III
09188533	28	85	9,0			ungelocht	III

Edelstahl, 1.4301
